

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AbfA: Adeland-----	97	Very limited Depth to saturated zone Restricted permeability	1.00  0.43	Very limited Depth to saturated zone Restricted permeability	1.00  0.43	Very limited Depth to saturated zone Restricted permeability	1.00  0.43
AbhAI: Adrian-----	90	Very limited Depth to saturated zone Flooding  Content of organic matter	1.00  1.00  1.00	Very limited Depth to saturated zone Content of organic matter Flooding	1.00  1.00  0.40	Very limited Depth to saturated zone Content of organic matter Flooding	1.00  1.00  1.00
AjaAI: Allison-----	97	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
ApkA: Angatoka-----	100	Not limited		Not limited		Not limited	
AplA: Angatoka-----	100	Not limited		Not limited		Not limited	
AplB2: Angatoka-----	95	Not limited		Not limited		Somewhat limited Slope	0.55
AplC2: Angatoka-----	98	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
AzqA: Ayrshire-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BcgAI: Battleground-----	87	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
BhyA: Birkbeck-----	97	Not limited		Not limited		Not limited	
BhyB2: Birkbeck-----	98	Not limited		Not limited		Somewhat limited Slope	0.55
BvlAK: Brouillett-----	80	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
		Depth to saturated zone	1.00				
ChaA: Camden-----	85	Not limited		Not limited		Not limited	
ChaB2: Camden-----	85	Not limited		Not limited		Somewhat limited	

						Slope	0.55
CfrG:							
Cates-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
						Gravel content	0.99
						Depth to bedrock	0.42
						Content of large stones	0.01
ChqA:							
Chalmers-----	100	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
CnaB:							
Coloma-----	100	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88
						Slope	0.55
CnaC:							
Coloma-----	100	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Very limited Slope	1.00
		Slope	0.16	Slope	0.16	Too sandy	0.88
CsuA:							
Crane-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
CudA:							
Crosby-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
DpbA:							
Drummer-----	100	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
EcoA:							
Edwardsville-----	97	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
EdeAK:							
Eel-----	52	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
		Depth to saturated zone	0.98			Flooding	0.60
Beckville-----	45	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
		Depth to saturated zone	0.98			Flooding	0.60
EmdA:							
Elston-----	100	Not limited		Not limited		Not limited	
EmdB:							
Elston-----	100	Not limited		Not limited		Somewhat limited Slope	0.55
FamB:							
Fairpoint-----	100	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21	Very limited Gravel content	1.00
		Gravel content	0.13	Gravel content	0.13	Restricted permeability	0.21
						Slope	0.10
						Content of large stones	0.08
FdbA:							

Fincastle-----	84	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FdbB: Fincastle-----	97	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.10
FdnA: Fincastle-----	62	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Starks-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GcaAK: Genesee-----	97	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
JcfG: Judyville-----	94	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope Depth to bedrock	1.00 0.42
KnqD2: Kendallville-----	96	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LbrA: Lafayette-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
LdxAK: Landes-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Gravel content	0.60 0.22
LfuAI: Lash-----	97	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
LfzB2: Lauramie-----	92	Not limited		Not limited		Somewhat limited Slope	0.55
LugA: Loudonville-----	86	Not limited		Not limited		Somewhat limited Gravel content	0.11
LugB2: Loudonville-----	85	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content	0.55 0.42 0.11
LugC2: Loudonville-----	85	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope Depth to bedrock Gravel content	1.00 0.42 0.11
LuhC: Loudonville-----	85	Somewhat limited Restricted permeability Slope	0.96 0.01	Somewhat limited Restricted permeability Slope	0.96 0.01	Very limited Slope Restricted permeability Depth to bedrock Gravel content	1.00 0.96 0.42 0.11
MamA: Mahalasville-----	67	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00

MaoA:  
Mahalaland-----| 94 |Very limited | |Very limited | |Very limited |  
Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MapA: Mahalasville, bedrock substratum-----	100	Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
MecB2: Martinsville-----	90	Not limited		Not limited		Somewhat limited Slope	0.55
MjuA: Mellott-----	90	Not limited		Not limited		Not limited	
MqlG: Minnehaha-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Content of large stones	1.00 0.01
MrcA: Mitiwanga-----	76	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
ObmB2: Octagon-----	90	Not limited		Not limited		Somewhat limited Slope	0.55
ObmC2: Octagon-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
ObxA: Ockley-----	85	Not limited		Not limited		Not limited	
ObxB2: Ockley-----	79	Not limited		Not limited		Somewhat limited Slope	0.55
ObxC2: Ockley-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
ObxD2: Ockley-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
PgaA: Pella-----	100	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PnwBQ: Pinevillage-----	100	Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Very limited Flooding	1.00	Somewhat limited Gravel content	0.26	Very limited Gravel content	1.00
		Gravel content	0.26			Slope	0.88
						Content of large stones	0.05

Pg:							
Gravel Pits-----	100	Not rated		Not rated		Not rated	
PvsA:							
Princeton-----	90	Not limited		Not limited		Not limited	
PvsB2:							
Princeton-----	90	Not limited		Not limited		Somewhat limited Slope	0.55
PvsC2:							
Princeton-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
RbfA:							
Ragsdale-----	100	Very limited Depth to saturated zone Ponding	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone Ponding	1.00
			1.00	Depth to saturated zone	1.00		1.00
RbuB2:							
Rainsville-----	97	Not limited		Not limited		Somewhat limited Slope	0.55
RbuC2:							
Rainsville-----	97	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
RdvA:							
Raub-----	93	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	0.21
			0.21		0.21		
RetA:							
Rensselaer-----	95	Very limited Depth to saturated zone Ponding	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone Ponding	1.00
			1.00	Depth to saturated zone	1.00		1.00
RosAK:							
Rockmill-----	100	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RqaE: Rodman-----	95	Flooding	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00			Flooding	0.60
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00
							0.01
RqaG: Rodman-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00
							0.01
RtxAK: Rossburg-----	100	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
RuxA: Raub-----	56	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
Brenton-----	36	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
RyfA: Rush-----	97	Not limited		Not limited		Not limited	

RyfB2: Rush-----	97	Not limited		Not limited		Somewhat limited Slope	0.55
RyWB2: Russell-----	76	Not limited		Not limited		Somewhat limited Slope	0.50
RywC2: Russell-----	95	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
RyWD2: Russell-----	87	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
RzcE: Russell-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Strawn-----	50	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96
SldAK: Shoals-----	90	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Flooding	0.60
SlyA: Silverwood-----	97	Not limited		Not limited		Somewhat limited Gravel content	0.22
SlyB2: Silverwood-----	95	Not limited		Not limited		Somewhat limited Slope Gravel content	0.55 0.22
SlzA: Silverwood-----	97	Not limited		Not limited		Somewhat limited Gravel content	0.22
SlzB2: Silverwood-----	95	Not limited		Not limited		Somewhat limited Slope Gravel content	0.55 0.22
SlzC2: Silverwood-----	95	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope Gravel content	1.00 0.22
SlzD2: Silverwood-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.22
SngA: Sleeth-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SobAI: Sloan-----	60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
Beaucoup-----	40	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
SnlAP: Southwest-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00

		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
--	--	-------------------------	------	-------------------------	------	-------------------------	------

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SseB2: St. Charles-----	93	Not limited		Not limited		Somewhat limited Slope	0.55
SteA: Starks-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SvgE: Strawn-----	90	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96
SvgG: Strawn-----	90	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96
SwdE: Strawn-----	75	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96
Rodman-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.01
SwdG: Strawn-----	75	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96
Rodman-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.01
TfdA: Throckmorton-----	95	Not limited		Not limited		Not limited	
TfdB: Throckmorton-----	97	Not limited		Not limited		Somewhat limited Slope	0.10
TlxA: Toronto-----	97	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
TmcA: Totanang-----	87	Not limited		Not limited		Not limited	
ThrA: Treaty-----	90	Very limited		Very limited		Very limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00
UbyE: Udorthents, Loamy---	100	Not rated		Not rated		Not rated	

Uea:							
Urban Land-----	100	Not rated		Not rated		Not rated	
W:							
Water-----	100	Not rated		Not rated		Not rated	
WkmA:							
Waupecan-----	87	Not limited		Not limited		Not limited	
WkmB2:							
Waupecan-----	95	Not limited		Not limited		Somewhat limited Slope	0.55
WmnA:							
Waynetown-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WmpA:							
Wea-----	100	Not limited		Not limited		Not limited	
WmpB2:							
Wea-----	97	Not limited		Not limited		Somewhat limited Slope	0.55
WqvA:							
Westland-----	98	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
WsuA:							
Whitaker-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WtaA:							
Whitaker-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WufB2:							
Williamstown-----	82	Somewhat limited		Somewhat limited		Somewhat limited	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.21	Restricted permeability	0.21	Slope	0.55
						Restricted permeability	0.21
WvaA:							
Wingate-----	97	Not limited		Not limited		Not limited	
WvaB2:							
Wingate-----	95	Not limited		Not limited		Somewhat limited Slope	0.55
XabA:							
Xenia-----	97	Somewhat limited Depth to saturated zone	0.98	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
XabB2:							
Xenia-----	95	Somewhat limited Depth to saturated zone	0.98	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone Slope	0.98 0.55
XfuB2:							
Miami-----	60	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21	Somewhat limited Slope	0.55
						Restricted permeability	0.21



Rainsville-----	30	Not limited		Not limited		Somewhat limited Slope	0.55
XfuC2:							
Miami-----	65	Somewhat limited		Somewhat limited		Very limited	
		Restricted	0.21	Restricted	0.21	Slope	1.00
		permeability		permeability			
		Slope	0.01	Slope	0.01	Restricted	0.21
						permeability	
Rainsville-----	25	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.01	Slope	0.01	Slope	1.00
YedA:							
Yeddo-----	90	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	